

# Stat 101 – Lecture 16

## Randomness

- It's not easy being random.
  - Pick a number, either 1, 2 or 3, at random. Write this number down as your first digit.
  - Pick a number, either 1, 2 or 3, at random. Write this number down as your second digit.

1

---

---

---

---

---

---

---

---

## Trying to be Random

		Second Digit			
		1	2	3	Total
First Digit	1				
	2				
	3				
	Total				

2

---

---

---

---

---

---

---

---

## Using JMP to be Random

		Second Digit			
		1	2	3	Total
First Digit	1	12	14	14	40
	2	9	13	8	30
	3	11	10	9	30
	Total	32	37	31	100

3

---

---

---

---

---

---

---

---

# Stat 101 – Lecture 16

## Randomness

- Why do we need randomness?
  - We use randomness in our data collection to give a fair and accurate picture of the world.
  - Drawing conclusions from data relies on using randomness in data collection.

4

---

---

---

---

---

---

---

---

## Practical Randomness

- We can also use randomness to simulate outcomes that model a random situation.
- The Pick 3 Lottery.
  - Pay \$1.
  - Pick 3 numbers between 0 and 9, say 123.
  - If the 3 numbers drawn match your numbers in any order you win \$100.

5

---

---

---

---

---

---

---

---

## Simulation

- Component repeated – a random three digit number.
- Explain model – if number generated is 123, 132, 213, 231, 312 or 321 you win \$100.
- Use JMP – Random Integer[1000]

6

---

---

---

---

---

---

---

---

# Stat 101 – Lecture 16

## Simulation

- Response variable – number of wins in 1000 plays.
- Run several trials.
- Analyze the response variable.
- State your conclusion.

7

---

---

---

---

---

---

---

---

## Simulation

Trial	Wins	Gain/Loss
1	7	\$300 loss
2	5	\$500 loss
3	5	\$500 loss
4	2	\$800 loss
5	5	\$500 loss
6	7	\$300 loss

8

---

---

---

---

---

---

---

---

## Simulation

- Conclusion
  - Play the Pick 3 Lottery and you will end up losing money!

9

---

---

---

---

---

---

---

---